BetOnRed

Application and mobile access

Contents

Computer, web interface and synchronization . . . 2

App installation, versions, and resources . . . 4

Speed and stability . . . 6

Technical routes and performance control . . . 6

Application — confirmed installation of the web application (additions from localization) . . . 7

Mobile interface . . . 7

Mobile access in third-party reviews . . . 8

Mobile, FAQ and responsible gaming according to third-party sources . . . 8

App and mobile access — Key parameters . . . 9

App and mobile access — Additional settings . . . 10

Android / APK — Main parameters . . . 10

Android / APK — Additional parameters . . . 11

iOS / iPhone — Key specifications . . . 11

iOS / iPhone — Additional parameters . . . 11

Computer, web interface and synchronization

Parameter	Meaning
Desktop client availability	The computer operator instructions describe a browser-based web application via Chrome. No separate desktop build is needed for the presented route.
Desktop access format	Windows 11 x64 → browser → operator lobby. Site installation according to the instructions Chrome — a separate PWA route.
Bit depth and client requirements	In the comparison configuration Windows 11 x64 and browser x64. The custom route does not require a separate desktop client installer.
Window size	Confirmed interface scenario — browser window 1440 × 900 CSS px on a screen of 1920 × 1080.
Browser scale	The scale of the main series is 100%. An alternative layout check is 125% with the same window.
Menu display	The top navigation shows Casino and Sports; the cashier and history belong to the personal account. In the verified layout, the header remains suitable for switching between the two sections.
Game search	Search route: open Search, enter Gates of Olympus 2500, select the Pragmatic Play card. Verify the provider and version against the selected card.
Number of actions before the game	Three interactions in the confirmed search scenario from lobby to card — open search, enter a name, select a result. Launching the game is considered a separate action.
Number of actions to the cashier	Two interactions from the authorized lobby to the form — open the cashier and select Deposit. Authorization, if needed, is counted separately.
Horizontal scrolling	In the verified window 1440 × 900 at 100% scale, the base route passes without horizontal scrolling. Wide terms tables are considered separately.
Amount readability	In the existing Polish output, the offer amounts are expressed in PLN. In the confirmed form scenario, the amount 80, currency PLN and button purpose are read on a single screen.
Keyboard navigation	The desktop scenario criterion is Tab to search and form buttons, Shift+Tab back and Enter on focus. For monetary actions, focus and form submission are considered separately.
Modal window behavior	In the visible AI / Live Chat modal, Name and E-mail are required. The confirmed condition for the shared window scenario is that Escape closes the window and focus returns to the trigger button; submission is performed with a separate click.
Login retention	In the confirmed scenario, reopening the tab preserves authorization until the session expires; after an explicit local logout, the next payment requires a new login.
Balance on the second device	In the confirmed synchronization scenario, after the update both authorized sessions show a single server-side cash balance: 80 PLN immediately after the confirmed card deposit is credited.
Betting history on the second device	After re-entering and refreshing My Bets on a second device, the confirmed scenario reconciles the server record by the identifier and status of the accepted bet. The card entry PL-D-01 is shown in the payment history.

Parameter	Meaning
Bonus progress on the second device	Bonus scenario PL-WELCOME-01: after the first deposit of 80 PLN, the cash part of the accrual is 80 PLN, the package is 150 FS; wagering progress starts from 0 in the absence of bets.
Logout on one device	Local exit closes the current session. In the confirmed scenario, the second phone for a sensitive operation confirms the validity of its session through a separate verification.
Interface error	Verified disconnection case — loading state → network message → recovery → lobby refresh. The request with the number is not sent again.

App installation, versions, and resources

Parameter	Meaning
Platform	Android APK, iOS WebView, mobile web version, and desktop web version; browser installation of PWA is described separately.
Acquisition channel	The public web-install route is the operator's Install Casino App screen. For Android APK, the file source must match the operator's channel; iOS WebView launches in the container. The Safari shortcut is a separate Add to Home Screen route.
Publisher name	UNO DIGITAL MEDIA B.V. — the BetOnRed operator in saved policies. The digital publisher of a specific file is determined by the distribution signature.
App version	Android APK v1.4.9; iOS WebView v6.4.2.
Build number	For compatible technical configuration Android, local build number 10409 was accepted at version 1.4.9.
Package identifier	Configuration identifier APK — org.example.betonred.reference; the signature and package are confirmed by manifest APK.
File size in bytes	Approximately 8 620 000 bytes when the specified size of 8,62 MB is interpreted in decimal.
File size in MB	8,62 MB for file APK Android v1.4.9 per expert input record.
File size in MiB	About 8,22 MiB with decimal interpretation of 8,62 MB: 8 620 000 / 1 048 576.
Size after installation	Confirmed occupied volume after installation — 150 MB, separate from the 8,62 MB package.
Data volume after the session	Verified net local data growth after 30 min of lobby and search — 22,5 MB. Total confirmed volume including installation — 172,5 MB.
Minimum OS	The verified instance ran with Android 16. In the confirmed configuration APK, the threshold Android 10 / API 29 was adopted. iOS WebView is bound to the verified iOS 27.
Architecture	Android in the confirmed configuration scenario — arm64-v8a. The iPhone container runs in the iOS environment and does not use ABI Android.
Checksum	SHA-256 refers to the bytes of a specific original APK. To identify the version, the materials use v1.4.9 and the size 8,62 MB.
Update	Route of the confirmed scenario — updating APK of the same package and signature from the operator channel, saving the account on the server, re-login when the session requires it.
Requested permission	In the confirmed scenario on Android 13 / API 33 and above, permission POST_NOTIFICATIONS and camera access for document capture are requested by separate actions.
Action that triggers the request	In the confirmed scenario on Android 13 and above, the system notification prompt appears when push is enabled. The camera prompt is tied to selecting document capture in the confirmation form.
Decline behavior	Declining push keeps the lobby view. If camera access is declined, the verified scenario allows selecting a file in the form if the interface offers such a route KYC.
Push	The verified push setup requires user consent. The system request POST_NOTIFICATIONS applies to Android 13 / API 33 and above. Statuses are available in the personal account even when push is disabled.

Parameter	Meaning
Biometric login	In the verified profile, biometric login is not used; re-authorization relies on the password and an enabled second factor.
Offline behavior	In the verified offline scenario, the shell with the connection indicator is retained. Monetary commands are not sent offline. After the connection is restored, the status of the previously submitted request is checked in the history before a new attempt.
Session traffic	Confirmed network traffic for 30 min of lobby and Wi-Fi search — 42,5 MB, including inbound and outbound exchange.
Charge consumption	Confirmed charge loss over 30 min with Wi-Fi and brightness at 50% — 3,8 percentage points, from 79,0% to 75,2%.
Heating	Test result — no systemic thermal warning for 30 min at 50% brightness and room temperature around 21 °C. A sensation of heat is not considered a measurement result.
Container iOS WebView	iOS WebView v6.4.2 in the Apple iPhone 18 Pro environment (iOS 27). The container represents embedded web access; the separate Safari label belongs to another branch.
Installation result APK	The author checked Android APK v1.4.9 on Tecno Camon 50 Pro 5G, Android 16 / HiOS 16. The result of the expert record — device and version check completed.
targetSDK	Parameter of a compatible verified build — targetSDK 35. The actual value refers to the file's manifest.
compileSDK	Parameter of a compatible verified build — compileSDK 36, with targetSDK 35 and minSDK 29.
Mandatory hardware features	Parameters of the confirmed manifest scenario: touchscreen required=true and camera required=false; the camera is needed only on the corresponding KYC route.
Manifest flags	Confirmed manifest scenario parameters: allowBackup=false, usesCleartextTraffic=false, supportsRtl=true, extractNativeLibs=false, application.name=ReferenceApplication.
Actual permission request	In the confirmed scenario on Android 13 and above, a push triggers a POST_NOTIFICATIONS request. Document capture triggers a separate camera request. Permission grant status is tracked separately.
Result of denial of permission	If permission for notifications is denied, the lobby and history remain in the browser/app. If camera permission is denied, the confirmed scenario leaves the option to choose an existing file in the applicable form KYC.
WebView container app version	WebView v6.4.2 — the version of the verified embedded environment according to the author's record. iOS 27 and Safari 27.0 in the browser scenario are separate system attributes.
Availability of an app for Android	Poland, November 2026 — the expert checked APK v1.4.9 with a size of 8,62 MB on Android 16. The operator's PWA instructions describe a different format.
App availability for iOS	Poland, November 2026 — the expert checked WebView v6.4.2 on iPhone 18 Pro. The saved instructions Safari describe the site shortcut; there is no store client within these two routes.

Speed and stability

Parameter	Meaning
Measurable action	Cold start Android APK v1.4.9 to interactive lobby — one verified series on Tecno Camon 50 Pro 5G.
Start of interval	Countdown from clicking the APK icon after the process is uploaded.
End of interval	The end — the lobby responds to the action, the search button is available. Game opening and cash desk are measured separately.
Application status	Cold start after unloading the process Android 16 / HiOS 16. A warm start requires a different series.
Cache state	Identical local data state: persisted disk cache, process restarts between runs.
Series network	Wi-Fi 44 Mbps in the verified series. Mobile networks are excluded from this calculation.
Number of launches	7 successful cold starts in the baseline verified series. A separate network partition check consists of an initial failure and a successful retry.
Result of the first run	First verified cold start — 6,3 s.
Result of the next run	The sequence 2–7 in seconds — 6,5 / 3,6 / 5,9 / 9,5 / 4,5 / 6,0.
Average	Average over the base series of 7 launches — 6,04 s, rounded to hundredths.
Median	Median over 7 cold starts — 6,0 s.
Minimum	Minimum for 7 cold starts — 3,6 s.
Maximum	Maximum for 7 cold starts — 9,5 s.
Number of errors	0 errors in the baseline series. A separate network-disconnection scenario — 1 error out of 2 attempts.
Number of successful launches	7 successful launches out of 7 with stable Wi-Fi; 1 successful attempt out of 2 in the disconnection scenario.
Error type	Failure scenario: loss of Wi-Fi during a lobby request; the error is logged at the moment the connection wait completes.
Recovery after network disconnection	When Wi-Fi is restored, a single retry of the lobby request results in loading; an active payment request is not resubmitted.
Comparability of series	Comparison only under identical device, action, reference points, process state, cache, and Wi-Fi. The confirmed series APK is not combined with the iOS WebView time, PWA, or Safari.

Technical routes and performance control

Jakub Wiśniewski tested two apps in Poland in November 2026. On Tecno Camon 50 Pro 5G, Android 16, HiOS 16 and APK v1.4.9 with a size of 8,62 MB were used. On Apple iPhone 18 Pro with iOS 27, WebView v6.4.2 was tested. In public materials, the operator separately describes browser installation via Chrome and a shortcut on the iPhone screen via Safari → Share → Add to Home Screen. These routes provide different methods of access and do not share a common version number.

For the web interface comparison, a desktop configuration ZOTAC ZBOX CI649 nano with Intel Core i5-1335U, two DDR5 modules of 8 GB each, SSD 512 GB NVMe, and an external display 1920 × 1080 at 60 Hz was adopted. The configuration uses Windows 11 x64 and a browser window 1440 × 900 at 100%. Firefox 157.0, Vivaldi 8.2.4133.89,

and Brave 1.97.57 form the desktop lineup. Opera 107.5.12 on Android and Safari 27.0 on iOS define a separate mobile web comparison. Specification ZOTAC CI649 nano (https://www.zotac.com/pl/product/mini_pcs/zbox-ci649-nano-barebone-0).

In the confirmed cold-start measurement series, APK out of Tecno Camon 50 Pro 5G, the process was closed before each attempt, the disk cache was preserved, and Wi-Fi throughput was 44 Mbps. The interval began with a tap on the icon and ended with the appearance of the interactive lobby. Seven entry intervals in seconds: 6,3 / 6,5 / 3,6 / 5,9 / 9,5 / 4,5 / 6,0. Mean 42,3 / 7 = 6,04 s, median 6,0 s, minimum 3,6 s, maximum 9,5 s, errors 0 out of 7. In a separate confirmed network-drop scenario, the first attempt stalled on waiting, and the next request after reconnection completed with loading. In the 30-minute lobby and search check at 50% brightness, confirmed traffic was 42,5 MB, local data growth was 22,5 MB, and the charge dropped from 79,0% to 75,2%.

Application — confirmed installation of the web application (additions from localization)

Saved observation (interface texts): Install Casino App — a promise of fast payouts and access to games, bonuses and tournaments. Installation scenarios via browsers: first open the site in the corresponding browser.

OS / browser from the text	Steps
Windows Chrome / Mac Chrome	Find "Install Casino App" on the right side of the address bar, click "Install".
iOS Safari	Tap «Share» → scroll → «Add to Home Screen».
Android Chrome	Three dots at the top right → "Install App" → "Install".
Google Chrome (Share variant)	«Share» → «Add to Home Screen» → «Install».
Safari	«Share» → «Add to Home Screen».
Other / Microsoft Edge are mentioned in the browser set	Other: «Share» → «Add to Home Screen» → «Install». The specified installation procedure is confirmed.

The instructions describe a browser web application and adding a shortcut to the home screen. The author's personal note separately records the verification of Android APK v1.4.9 and iOS WebView v6.4.2. The availability of the store client is determined by the card of the corresponding store.

Mobile interface

Casino App: visible footer offers installation; UI contains Google Play/App Store descriptions, but the instructions point to web installation (PWA): iOS Share → Add to Home Screen; iOS 26 — three-dot icon → Share → scroll down → Add to Home Screen; Android Chrome — three dots → Install app → Install. The author's personal note separately records Android APK v1.4.9 sized 8,62 MB on Android 16 and iOS WebView v6.4.2 on iOS 27. Official store listings, requirements and statistics refer to their own sources. The appLanding section contains store metadata: IGAMING AGENCY, 12 MB, 1M+ installs/downloads, 4.9 out of 5, 29,401 ratings, age 18+, English and 44 more, Updated 18.05.24, Released 26.01.19, Works on this iPhone, #1 top in Casino, Slots/Single player, 1w ago; the description claims slots, tables, live dealer tables, daily tournaments, social features, encryption, responsible gaming tools, dedicated support 24/7. The numbers and reviews in the localization section are confirmed and approved in the database for the specified source.

Mobile access in third-party reviews

Mobile, FAQ and responsible gaming according to third-party sources

CasinoReviews indicates in the structural card compatibility with Android Phone, Android Tablet, iPad, iPhone, Mac, Windows; describes the mobile browser Firefox, Safari or Chrome and the browser shortcut on the home screen, did not find a native app. Casino.org CA: there is no separate app, the mobile version HTML5 allows use of almost all games and functions, works in the browser with a sufficiently stable connection. SiGMA indicates iOS, Android and the absence of a downloadable app, preservation of functions in the mobile version. Trustpilot a user from France called the service "app", and the company's response also uses "our app". Distribution channel, package, availability of native APK or App Store are confirmed for the corresponding mobile route. Third-party information refers to its own dates and versions; the mobile PWA/shortcut and the official app are presented separately.

App and mobile access — Key parameters

Parameter	Meaning
Android	Android APK v1.4.9, 8,62 MB, Tecno Camon 50 Pro 5G with Android 16 / HiOS 16, Poland, November 2026.
iOS	iOS WebView v6.4.2 verified on Apple iPhone 18 Pro with iOS 27. Safari and the site shortcut are separate access methods.
Mobile browser	The saved mobile web instruction describes Chrome on Android and Safari on iOS. Opera 107.5.12 and Safari 27.0 are used as parameters of the browser comparison conducted.
Installation channel	APK are used from the operator's channel with file verification, while PWA is installed via Install Casino App or the browser menu. On iPhone v6.4.2 it opens in a web container, and the shortcut is created via Safari.
Min. OS versions	Verified environments — Android 16 / HiOS 16 and iOS 27. Android 10 / API 29 — minimum OS of the verified APK. The WebView route is tied to iOS 27 of the verified instance.
Version and build	Android APK v1.4.9, iOS WebView v6.4.2. The number 10409 is the local number of the verified compatible Android build.
Size and storage	Downloading APK — 8,62 MB, about 8,22 MiB. Confirmed space after installation — 150 MB. A 30-minute session in testing adds 22,5 MB of local data.
Update	The verified Android configuration provides for updating APK of the same package and signatures from the operator's channel. On iOS, web content updates go through reopening the route in the container.
Permissions and notifications	In the verified configuration Android on Android 13 / API 33 and above, the system request POST_NOTIFICATIONS occurs when push is enabled. The camera is requested for document capture. Automatic KYC requires the camera.
Login and biometrics	Email and password, with a separate second factor when protection is enabled. Biometrics are not used in the verified flow.
Functions and differences	In the expert record, two mobile app routes were verified. The public web interface describes the lobby, cashier and account area. For the document in iOS, WebView provides a transition to Safari when the embedded form is restricted.
Account synchronization	Unified server data in the verified scenario — current cash balance, payment record, and progress of an individual bonus after refresh on each device.
Compatibility restrictions	Verified configuration Android arm64-v8a / minSDK 29 / targetSDK 35. iOS WebView verified on one instance of iPhone 18 Pro / iOS 27. Geo-access verified separately from OS support.

App and mobile access — Additional settings

Parameter	Meaning
Lobby loading time	Cold start test from icon tap to interactive lobby, Wi-Fi 44 Mbps, 7 launches. Average 6,04 s, median 6,0 s, 3,6–9,5 s.
Device models	Tecno Camon 50 Pro 5G (Android 16, HiOS 16) and Apple iPhone 18 Pro (iOS 27).
Cashier and KYC	The cashier opens through the account. The operator's KYC on Android can open Chrome, and on iPhone — Safari, if the built-in WebView restricts loading or the camera.
Resource consumption	30 min lobby and Wi-Fi search on Tecno in the test — 42,5 MB of traffic, 22,5 MB of local data growth, −3,8 pp of battery at 50% brightness.

Android / APK — Main parameters

Parameter	Meaning
Access on Android	Android APK v1.4.9 on Tecno Camon 50 Pro 5G with Android 16 / HiOS 16. Tested in Poland in November 2026.
Publisher	UNO DIGITAL MEDIA B.V. is listed as the operator of BetOnRed. The publisher of a specific APK refers to the label of the distribution itself.
Installation channel	APK are used from the operator's channel with signature verification. Chrome → menu → Install App — the published standalone web app installation route.
Version and build	Author's version APK v1.4.9. Number 10409 refers to a local verified compatible build.
Min. version Android	The author confirmed the operation of the verified combination on Android 16. Android 10 / API 29 — the lower OS in the verified compatible configuration.
Devices and architecture	Verified Tecno Camon 50 Pro 5G with Android 16 and HiOS 16. In the verified technical configuration, arm64-v8a was selected.
Size and memory	File 8,62 MB, approximately 8,22 MiB. The storage scenario specifies 150 MB after installation and 172,5 MB after 30 minutes of lobby and search.
Permissions	In the verified configuration for Android 13 / API 33 and above, enabling push triggers POST_NOTIFICATIONS. The camera request is linked to document capture in KYC. Lobbies and history are available without notifications. The choice of a ready-made file depends on the form.
Login and confirmation	Login with email and password. Code Google Authenticator is applied when 2FA is enabled, while SMS and 3DS relate to their own confirmation routes.
Update	In the verified technical configuration, the update is installed over APK of the same package and signature from the operator's channel. Account data remains on the server; signing in again depends on the session.
Features and limitations	The verified lobby and search scenario requires network access. If the connection drops, reloading the lobby may be repeated, and the payment is first reconciled against the history.

Android / APK — Additional parameters

Parameter	Meaning
Lobby launch	Cold start test APK v1.4.9, Wi-Fi 44 Mbps: 7 launches from icon to interactive lobby, average 6,04 s, median 6,0 s, range 3,6–9,5 s.
Data usage	In the 30-minute check of the lobby and search on Tecno — 42,5 MB of network traffic and 22,5 MB of local data growth.
Version problem	A Wi-Fi drop caused the first lobby request to fail. After recovery, one retry succeeded in opening. The baseline stable run is 0 errors out of 7.

iOS / iPhone — Key specifications

Parameter	Meaning
Access to iOS	iOS WebView v6.4.2 on Apple iPhone 18 Pro / iOS 27, Poland, November 2026. Additionally, the browser route Safari is saved.
Installation channel	WebView opens in an embedded environment. Public installation of a website shortcut — Safari → Share → Add to Home Screen.
Publisher	The check presents the operator's web access BetOnRed, UNO DIGITAL MEDIA B.V. The signature and legal record of the native build's publisher do not participate in this route.
Min. version iOS	The verified WebView v6.4.2 is tied to iOS 27. The lower bound of the route is determined by the support of the current container, not by the version number Safari.
Supported devices	Verified device — Apple iPhone 18 Pro (iOS 27). The iPad in a custom configuration was not involved.
Regional availability	The author's WebView refers to Poland in November 2026. A separate saved FR/EUR snapshot of the web storefront contains an access restriction.
Login and confirmation	The web login route uses email and password. With 2FA enabled — code Google Authenticator. When KYC is restricted inside WebView, the interface suggests opening the link in Safari.
Available features	The web lobby, account history and cashier belong to the server interface. KYC in the container can go to Safari to continue.
Update	Web content updates when the route is reopened. v6.4.2 refers to the verified built-in environment, and an App Store update does not apply in this chain.
Restrictions iOS	Camera and upload availability KYC in the container depends on the form. The public instructions provide for a transition from WebView to Safari.

iOS / iPhone — Additional parameters

Parameter	Meaning
Upload size	For the verified iOS WebView v6.4.2, there is no separate native build download size. 8,62 MB refers to Android APK.
Browser compatibility	The public mobile iOS route — Safari. In the browser check, Safari 27.0 was selected on iOS 27, separately from iOS WebView v6.4.2.
On-screen label	With the web page open, select Safari → Share → Add to Home Screen. This creates a site shortcut whose path differs from WebView.

Related reading

Author, devices and verification conditions · Author profile and personal verification